

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Flame Projector

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Pyrotechnic Article

1.3. Details of the supplier of the safety data sheet

RES Specialty Pyrotechnics, Inc. 21595 286th Street Belle Plaine, MN 56011

1.4. Emergency telephone number

Emergency number : 952-873-3113

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Expl. 1.4 H204 Acute Tox. 2 (Oral) H300 Acute Tox. 1 (Dermal) H310 Skin Sens. 1 H317 STOT RE 2 H373

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)

Precautionary statements (GHS-US)



GHS01

GHS06





GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H204 - Fire or projection hazard

H300+H310 - Fatal if swallowed or in contact with skin

H317 - May cause an allergic skin reaction

H373 - May cause damage to organs through prolonged or repeated exposure

: P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P240 - Ground/bond container and receiving equipment

P250 - Do not subject to grinding/shock/friction

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P262 - Do not get in eyes, on skin, or on clothing

P264 - Wash thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P310 - If swallowed: Immediately call a poison center/doctor

P302 + P352 - If on skin: Wash with plenty of water P310 - Immediately call a poison center/doctor

P314 - Get medical advice/attention if you feel unwell

P330 - Rinse mouth

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P361 - Take off immediately all contaminated clothing

P362+P364 - Take off contaminated clothing and wash it before reuse

P363 - Wash contaminated clothing before reuse P370+P380 - In case of fire: Evacuate area

P372 - Explosion risk in case of fire

P373 - DO NOT fight fire when fire reaches explosives

P374 - Fight fire with normal precautions from a reasonable distance

P405 - Store locked up

P501 - Dispose of contents/container in accordance with local/regional/national/international

06/12/2015 EN (English US) Page 1

Safety Data Sheet

regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Pyrotechnic mixtures in solid form containing fuels and oxidizers, pyrotechnic substances or a mixture of substances designed to produce an effect by heat, light, sound, gas, or smoke or a combination of these as the result of non-detonative self-sustaining exothermic chemical reactions. These items are classified as explosives 1.4G by the U.S. DOT. No chemical composition is exposed during normal handling, transportation and storage. The following components are present in these products as a pyrotechnic composition:

Name	Product identifier	%	Classification (GHS-US)
Nitroglycerin	(CAS No) 55-63-0	0 - 20	Unst. Expl, H200 Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 STOT RE 2, H373 Aquatic Chronic 2, H411
Urea, N,N'-diethyl-N,N'-diphenyl-	(CAS No) 85-98-3	0 - 20	Not classified
Diphenylamine	(CAS No) 122-39-4	0 - 20	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Nitrocellulose	(CAS No) 9004-70-0	0 - 20	Not classified
Rosin	(CAS No) 8050-09-7	0 - 20	Acute Tox. 1 (Oral), H300 Skin Sens. 1, H317
Strontium nitrate	(CAS No) 10042-76-9	0 - 2	Not classified
Aluminum	(CAS No) 7429-90-5	0 - 2	Not classified
Barium nitrate	(CAS No) 10022-31-8	0 - 2	Acute Tox. 4 (Oral), H302

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

asures after inhalation : Medical attention is required. Remove to fresh air. Professional assistance by a doctor is needed if irritation develops or persists.

First-aid measures after skin contact : No immediate medical attention is required. Remove contaminated clothing as needed and launder before reuse. Wash skin thoroughly with mild soap/water. Professional assistance by a

doctor is needed if irritation develops or persists.

First-aid measures after eye contact : Medical attention is required. Immediately flush eyes with plenty of water for 15 minutes. An eye wash kit is required at the workplace. Professional assistance by a doctor is needed if irritation

persists.

First-aid measures after ingestion : Medical attention is required. Professional assistance by a doctor is needed. Induce vomiting immediately (as directed by medical personnel). Never give anything by mouth to an

unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Not anticipated under normal use conditions. If casing is broken, dusts may cause irritation.

Symptoms/injuries after skin contact : Not anticipated under normal use conditions. If casing is broken, dusts may cause irritation.

Symptoms/injuries after eye contact : Not anticipated under normal use conditions. If casing is broken, dusts may cause irritation.

Symptoms/injuries after ingestion : Not anticipated under normal use conditions. If casing is broken, ingested dusts may cause irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

06/12/2015 EN (English US) 2/9

Safety Data Sheet

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Pyrotechnics are self oxidizing. Flood with water. Fire extinguisher (Class A) may be used. Do

not use suffocation methods.

Unsuitable extinguishing media : None

5.2. Special hazards arising from the substance or mixture

Fire hazard : May cause fire or explosion; strong oxidizer.

Explosion hazard : These products will burn rapidly in the event of a fire. Fiery debris may be projected. Large

quantities may explode in a fire.

5.3. Advice for firefighters

Protection during firefighting : Firefighters should wear full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Spilled compositi

: Spilled composition is highly combustible. In case a device is broken open and pyrotechnic composition is spilled: Keep away any possible ignition source such as open flames, sparks and lit cigarettes. Prevent possible electrostatic discharges (for example: do not use a synthetic

dustpan and brush).

Methods for cleaning up : Carefully pick up the material and place in a cardboard container. For dusts which may be

released from a broken device, use dustless methods and place into a closed container for disposal. Take up wet and do not dry sweep or blow with compressed air. Care must be taken when using or disposing of chemical materials and/or their containers to prevent environmental

contamination.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : All pyrotechnic devices should be handled with caution. Avoid open flames, smoking, friction, impact, excessive heat, electrostatic discharges, radio frequent interference and moisture.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area.

7.3. Specific end use(s)

Pyrotechnics

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Strontium nitrate (10042-76-9	
ACGIH	Not applicable
OSHA	Not applicable

Nitroglycerin (55-63-0)		
ACGIH	ACGIH TWA (ppm)	0.05 ppm
OSHA	OSHA PEL (Ceiling) (mg/m³)	2 mg/m³
OSHA	OSHA PEL (Ceiling) (ppm)	0.2 ppm

06/12/2015 EN (English US) 3/9

Safety Data Sheet

Urea, N,N'-diethyl-N,N'-diphe	Urea, N,N'-diethyl-N,N'-diphenyl- (85-98-3)		
ACGIH	Not applicable		
OSHA	Not applicable		
Diphenylamine (122-39-4)			
ACGIH	ACGIH TWA (mg/m³)	10 mg/m ³	
OSHA	Not applicable		
Nitrocellulose (9004-70-0)			
ACGIH	Not applicable		
OSHA	Not applicable		
Rosin (8050-09-7)			
ACGIH	Not applicable		
OSHA	Not applicable		
Barium nitrate (10022-31-8)			
ACGIH	Not applicable		
OSHA	Not applicable		
Aluminum (7429-90-5)			
ACGIH	ACGIH TWA (mg/m³)	1 mg/m³ (respirable fraction)	
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)	

8.2. Exposure controls

Appropriate engineering controls : None required under normal product handling conditions.

Hand protection : None required under normal product handling conditions.

Eye protection : None required under normal product handling conditions.

Skin and body protection : Wear suitable working clothes.

Respiratory protection : None required under normal product handling conditions.

9.1. Information on pasic physical and enemical properties

Physical state : Solid

Appearance : Contained in cardboard casing.

Odor : None

Odor threshold : Not Applicable рΗ : Not Applicable Relative evaporation rate (butyl acetate=1) : Not Applicable Melting point : Not Applicable Freezing point : Not Applicable Boiling point : Not Applicable : Not Applicable Flash point : >150°C Auto-ignition temperature Decomposition temperature : Not Applicable Flammability (solid, gas) : No data available Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available Solubility : Not Applicable Log Pow : No data available Log Kow : No data available Viscosity, kinematic : No data available

06/12/2015 EN (English US) 4/9

Safety Data Sheet

Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Will not occur.

10.4. Conditions to avoid

Open flames, sparks, high temperatures, friction or impact, electrostatic discharges and radio frequent radiation.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Decomposition does not occur under normal circumstances during storage, transport and handling.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Fatal if swallowed. Dermal: Fatal in contact with skin.

Flame Projector	
ATE US (oral)	9.198 mg/kg body weight
ATE US (dermal)	24.590 mg/kg body weight
Strontium nitrate (10042-76-9)	
LD50 oral rat	2750 mg/kg
Nitroglycerin (55-63-0)	
LD50 oral rat	100 mg/kg
LD50 dermal rabbit	> 280 mg/kg
ATE US (oral)	5.000 mg/kg body weight
ATE US (dermal)	5.000 mg/kg body weight
ATE US (gases)	100.000 ppmV/4h
ATE US (vapors)	0.500 mg/l/4h
ATE US (dust, mist)	0.050 mg/l/4h
Urea, N,N'-diethyl-N,N'-diphenyl- (85-98-3)	
LD50 oral rat	2750 mg/kg
Diphenylamine (122-39-4)	
LD50 oral rat	1120 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
ATE US (oral)	100.000 mg/kg body weight
ATE US (dermal)	300.000 mg/kg body weight
ATE US (gases)	700.000 ppmV/4h
ATE US (vapors)	3.000 mg/l/4h
ATE US (dust, mist)	0.500 mg/l/4h
Nitrocellulose (9004-70-0)	
LD50 oral rat	> 5 g/kg
Rosin (8050-09-7)	
LD50 oral rat	7600 mg/kg
22/12/22/2	EV (E . II - 1 10)

06/12/2015 EN (English US) 5/9

Safety Data Sheet

Rosin (8050-09-7)		
LD50 dermal rabbit	> 2500 mg/kg	
LC50 inhalation rat (mg/l)	1.5 mg/l/4h	
ATE US (oral)	3.000 mg/kg	
Barium nitrate (10022-31-8)		
LD50 oral rat	355 mg/kg	
ATE US (oral)	355.000 mg/kg body weight	

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Nitroglycerin (55-63-0)	
LC50 fish 1	0.87 - 3.25 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	46 - 55 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	0.87 - 2.21 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	38 - 55 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Diphenylamine (122-39-4)	
LC50 fish 1	3.47 - 4.14 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	1.69 - 2.46 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Rosin (8050-09-7)	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Diphenylamine (122-39-4)	
BCF fish 1	51 - 253
Log Pow	3.5

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

06/12/2015 EN (English US) 6/9

Safety Data Sheet

SECTION 13: Disposal considerations

Waste treatment methods

Waste disposal recommendations

: Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN0431 Articles, pyrotechnic (for technical purposes), 1.4, II

UN-No.(DOT) : UN0431

DOT Proper Shipping Name : Articles, pyrotechnic

for technical purposes

Department of Transportation (DOT) Hazard

Classes

: 1.4 - Class 1.4 - Explosives (with no significant blast hazard) 49 CFR 173.50

Hazard labels (DOT) : 1.4G - Explosive



Packing group (DOT) : II - Medium Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) : None DOT Packaging Exceptions (49 CFR 173.xxx) : None DOT Quantity Limitations Passenger aircraft/rail : Forbidden

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 75 kg

CFR 175.75)

DOT Vessel Stowage Location : 02 - The material may be stowed "on deck" or "under deck" on a cargo vessel (up to 12

passengers) and "on deck" in closed cargo transport units or "under deck" in closed cargo

transport units on a passenger vessel.

DOT Vessel Stowage Other : 25 - Shade from radiant heat

SECTION 15: Regulatory information

15.1. US Federal regulations

Strontium nitrate (10042-76-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Nitroglycerin (55-63-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

SARA Section 313 - Emission Reporting 1.0 %

Urea, N,N'-diethyl-N,N'-diphenyl- (85-98-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Diphenylamine (122-39-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

EPA TSCA Regulatory Flag T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.

SARA Section 313 - Emission Reporting 1.0 %

Nitrocellulose (9004-70-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Rosin (8050-09-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

06/12/2015 EN (English US) 7/9

Safety Data Sheet

Barium nitrate (10022-31-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Aluminum (7429-90-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

SARA Section 313 - Emission Reporting 1.0 % (dust or fume only)

15.2. US State regulations

Strontium nitrate (10042-76-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Nitroglycerin (55-63-0)

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Diphenylamine (122-39-4)

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Nitrocellulose (9004-70-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Rosin (8050-09-7)

U.S. - Minnesota - Hazardous Substance List

Barium nitrate (10022-31-8)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Aluminum (7429-90-5)

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information

Full text of H-phrases::

Acute Tox. 1 (Dermal)	Acute toxicity (dermal) Category 1
Acute Tox. 1 (Oral)	Acute toxicity (oral) Category 1
Acute Tox. 2 (Inhalation)	Acute toxicity (inhalation) Category 2
Acute Tox. 2 (Oral)	Acute toxicity (oral) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Expl. 1.4	Explosive Category 1.4
Skin Sens. 1	Skin sensitization Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
Unst. Expl	Unstable explosives
H200	Unstable explosives

06/12/2015 EN (English US) 8/9

Flame Projector Safety Data Sheet

H204	Fire or projection hazard
H300	Fatal if swallowed
H301	Toxic if swallowed
H302	Harmful if swallowed
H310	Fatal in contact with skin
H311	Toxic in contact with skin
H317	May cause an allergic skin reaction
H330	Fatal if inhaled
H331	Toxic if inhaled
H373	May cause damage to organs through prolonged or repeated
	exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

06/12/2015 EN (English US) 9/9